A bill to be entitled

An act relating to automated external defibrillators; amending s. 401.2915, F.S.; requiring certain entities to notify local emergency services medical directors of the locations of automated external defibrillators; requiring local emergency medical services medical directors to maintain registries of certain automated external defibrillator locations; amending s. 768.1326, F.S.; directing the State Surgeon General, with the assistance of the Department of Management Services, to adopt rules to establish guidelines for the appropriate placement and deployment of automated external defibrillators in places of public assembly; providing a definition; providing exceptions; clarifying the scope of the requirements of the act; amending s. 1006.165, F.S.; requiring the placement of an automated external defibrillator in each public school in this state; requiring training of certain persons; requiring registration of such devices with local emergency medical services medical directors; providing an effective date.

2122

1

2

3

4

5

6

7

8

9

10

11

12

1314

15

16

17

18

19

20

Be It Enacted by the Legislature of the State of Florida:

2324

Section 1. Section 401.2915, Florida Statutes, is amended to read:

2627

28

25

401.2915 Automated external defibrillators.—It is the intent of the Legislature that an automated external defibrillator may be used by  $\underline{a}$  any person for the purpose of

Page 1 of 6

CODING: Words stricken are deletions; words underlined are additions.

saving the life of another person in cardiac arrest. In order to achieve that goal, the Legislature intends to encourage training in lifesaving first aid and set standards for and encourage the use of automated external defibrillators.

(1) As used in this section, the term:

- (a) "Automated external defibrillator" means a device as defined in s. 768.1325(2)(b).
- (b) "Defibrillation" means the administration of a controlled electrical charge to the heart to restore a viable cardiac rhythm.
  - (2) In order to promote public health and safety:
- (a) All persons who use an automated external defibrillator are encouraged to obtain appropriate training, to include completion of a course in cardiopulmonary resuscitation or successful completion of a basic first aid course that includes cardiopulmonary resuscitation training, and demonstrated proficiency in the use of an automated external defibrillator.
- (b) A Any person or entity in possession of an automated external defibrillator is encouraged to notify the local emergency medical services medical director of the location of the automated external defibrillator. The owner, operator, or administrator responsible for a place of public assembly, as defined in s. 768.1326, shall notify the local emergency medical services medical director of the location of the automated external defibrillator. The state agency responsible for a building or portion of a building owned or leased by the state shall notify the local emergency medical services medical

director of the location of the automated external defibrillator. The local emergency medical services medical director shall maintain a registry of these automated external defibrillator locations.

- (c)  $\underline{A}$  Any person who uses an automated external defibrillator shall activate the emergency medical services system as soon as possible upon use of the automated external defibrillator.
  - (3) A Any person who intentionally or willfully:
- (a) Tampers with or otherwise renders an automated external defibrillator inoperative, except during such time as the automated external defibrillator is being serviced, tested, repaired, recharged, or inspected or except pursuant to court order; or
- (b) Obliterates the serial number on an automated external defibrillator for purposes of falsifying service records,

commits a misdemeanor of the first degree, punishable as provided in s. 775.082 or s. 775.083. Paragraph (a) does not apply to the owner of the automated external defibrillator or the owner's authorized representative or agent.

- (4) Each local and state law enforcement vehicle may carry an automated external defibrillator.
- Section 2. Section 768.1326, Florida Statutes, is amended to read:
- 768.1326 Placement of automated external defibrillators in state buildings <u>and places of public assembly</u>; rulemaking authority.—

Page 3 of 6

85

86

87

88

89

90

91

92

93

94

95

96

9798

99

100

101102

103

104

105

106

107

108

109

110

111

112

No later than January 1, 2003, The State Surgeon General shall adopt rules to establish guidelines on the appropriate placement of automated external defibrillator devices in buildings or portions of buildings owned or leased by the state and places of public assembly, and shall establish, by rule, recommendations on procedures for the deployment of automated external defibrillator devices in such buildings and places of public assembly in accordance with the guidelines. The Secretary of Management Services shall assist the State Surgeon General in the development of the guidelines. The guidelines for the placement of the automated external defibrillators shall take into account the typical number of employees and visitors in the building or place of public assembly buildings, the extent of the need for security measures regarding the building or place of public assembly buildings, special circumstances in the building or a portion of the building buildings or portions of buildings such as high electrical voltages or extreme heat or cold, and such other factors as the State Surgeon General and Secretary of Management Services determine to be appropriate. As used in this section, the term "place of public assembly" means an educational facility used as an emergency shelter or a location that has a seating capacity of at least 1,000 people and includes, but is not limited to, any stadium, ballpark, gymnasium, field house, arena, civic center, or similar facility used for the conduct of sporting events and any concert hall, recital hall, theater, indoor or outdoor amphitheatre, or other auditorium used for the presentation of musical performances or concerts. The term does not include any church, synagogue, or

other not-for-profit religious organization or any public association or public library. The State Surgeon General's recommendations for deployment of automated external defibrillators in buildings or portions of buildings owned or leased by the state or in places of public assembly shall include: (a) (1) A reference list of appropriate training courses in the use of such devices, including the role of cardiopulmonary resuscitation; (b)  $\frac{(2)}{(2)}$  The extent to which such devices may be used by laypersons; (c) (3) Manufacturer recommended maintenance and testing of the devices; and (d) (4) Coordination with local emergency medical services systems regarding registration of automated external defibrillators and documentation of the incidents of use of the devices. In formulating these guidelines and recommendations, the State Surgeon General may consult with all appropriate public and private entities, including national and local public health organizations that seek to improve the survival rates of individuals who experience cardiac arrest.

(2) This section does not:

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

(a) Prohibit a county or municipal government from enacting, implementing, and enforcing any local ordinance that expands the requirements of this section for the placement of automated external defibrillators in a place of public assembly;

Page 5 of 6

(b) Mandate the placement of any automated external defibrillator in any place of public assembly; or

- (c) Authorize the adoption of rules, guidelines, or recommendations that would establish any legal standard of care in civil actions.
- Section 3. Section 1006.165, Florida Statutes, is amended to read:
  - 1006.165 Automated external defibrillator; user training.-
- (1) Each public school in this state that is a member of the Florida High School Athletic Association must have an operational automated external defibrillator on the school grounds. Public and private partnerships are encouraged to cover the cost associated with the purchase and placement of the defibrillator and training in the use of the defibrillator.
- (2) Each school must ensure that all employees or volunteers who are reasonably expected to use the device obtain appropriate training, including completion of a course in cardiopulmonary resuscitation or a basic first aid course that includes cardiopulmonary resuscitation training, and demonstrated proficiency in the use of an automated external defibrillator.
- (3) The location of each automated external defibrillator must be registered with a local emergency medical services medical director.
- (4) The use of automated external defibrillators by employees and volunteers is covered under ss. 768.13 and 768.1325.
  - Section 4. This act shall take effect July 1, 2011.

Page 6 of 6