

Amendment No. 8

COMMITTEE/SUBCOMMITTEE ACTION

| | | |
|-----------------------|---|-------|
| ADOPTED | — | (Y/N) |
| ADOPTED AS AMENDED | — | (Y/N) |
| ADOPTED W/O OBJECTION | — | (Y/N) |
| FAILED TO ADOPT | — | (Y/N) |
| WITHDRAWN | — | (Y/N) |
| OTHER | — | |

Committee/Subcommittee hearing bill: Business & Professions
Subcommittee

Representative Eagle offered the following:

Amendment (with title amendment)

Between lines 1441 and 1442, insert:

Section 35. The Florida Building Commission shall adopt into the Florida Building Code the following:

Section 406 relating to the Alternative Performance Path, Energy Rating Index of the 2015 International Energy Conservation Code (IECC) may be used as an option for chapter 553 and Florida Building Code compliance. TABLE R406.4 MAXIMUM RATING ENERGY INDEX shall reflect the following rating index: for Climate Zone 1, an index of 65; for Climate Zone 2, an index of 65.

T I T L E A M E N D M E N T

COMMITTEE/SUBCOMMITTEE AMENDMENT

Bill No. HB 535 (2016)

Amendment No. 8

18 Remove line 153 and insert:
19 future repeal of the task force; directing the Florida Building
20 Commission to adopt a specific energy rating index as an option
21 for compliance; providing for Climate Zone indices; providing an