1

2011

# A bill to be entitled

2 An act relating to automated external defibrillators; 3 amending s. 401.2915, F.S.; requiring certain entities to 4 notify local emergency services medical directors of the 5 locations of automated external defibrillators; requiring 6 local emergency medical services medical directors to 7 maintain registries of certain automated external 8 defibrillator locations; amending s. 768.1326, F.S.; 9 directing the State Surgeon General, with the assistance 10 of the Department of Management Services, to adopt rules 11 to establish guidelines for the appropriate placement and deployment of automated external defibrillators in places 12 of public assembly; providing a definition; providing 13 14 exceptions; clarifying the scope of the requirements of 15 the act; amending s. 1006.165, F.S.; requiring the 16 placement of an automated external defibrillator in each public school in this state; requiring training of certain 17 persons; requiring registration of such devices with local 18 19 emergency medical services medical directors; providing an effective date. 20 21 22 Be It Enacted by the Legislature of the State of Florida: 23 24 Section 1. Section 401.2915, Florida Statutes, is amended to read: 25 26 401.2915 Automated external defibrillators.-It is the 27 intent of the Legislature that an automated external defibrillator may be used by a any person for the purpose of 28

Page 1 of 6

CODING: Words stricken are deletions; words underlined are additions.

hb0373-00

29 saving the life of another person in cardiac arrest. In order to 30 achieve that goal, the Legislature intends to encourage training 31 in lifesaving first aid and set standards for and encourage the 32 use of automated external defibrillators.

33

(1) As used in this section, the term:

34 (a) "Automated external defibrillator" means a device as35 defined in s. 768.1325(2)(b).

36 (b) "Defibrillation" means the administration of a 37 controlled electrical charge to the heart to restore a viable 38 cardiac rhythm.

39

(2) In order to promote public health and safety:

40 (a) All persons who use an automated external 41 defibrillator are encouraged to obtain appropriate training, to 42 include completion of a course in cardiopulmonary resuscitation 43 or successful completion of a basic first aid course that 44 includes cardiopulmonary resuscitation training, and 45 demonstrated proficiency in the use of an automated external 46 defibrillator.

47 A Any person or entity in possession of an automated (b) external defibrillator is encouraged to notify the local 48 49 emergency medical services medical director of the location of 50 the automated external defibrillator. The owner, operator, or 51 administrator responsible for a place of public assembly, as defined in s. 768.1326, shall notify the local emergency medical 52 53 services medical director of the location of the automated 54 external defibrillator. The state agency responsible for a 55 building or portion of a building owned or leased by the state 56 shall notify the local emergency medical services medical

## Page 2 of 6

CODING: Words stricken are deletions; words <u>underlined</u> are additions.

57 director of the location of the automated external 58 defibrillator. The local emergency medical services medical director shall maintain a registry of these automated external 59 60 defibrillator locations. A Any person who uses an automated external 61 (C) 62 defibrillator shall activate the emergency medical services 63 system as soon as possible upon use of the automated external 64 defibrillator. 65 (3) A Any person who intentionally or willfully: 66 Tampers with or otherwise renders an automated (a) 67 external defibrillator inoperative, except during such time as the automated external defibrillator is being serviced, tested, 68 69 repaired, recharged, or inspected or except pursuant to court 70 order; or Obliterates the serial number on an automated external 71 (b) 72 defibrillator for purposes of falsifying service records, 73 74 commits a misdemeanor of the first degree, punishable as 75 provided in s. 775.082 or s. 775.083. Paragraph (a) does not 76 apply to the owner of the automated external defibrillator or 77 the owner's authorized representative or agent. 78 Each local and state law enforcement vehicle may carry (4) 79 an automated external defibrillator. 80 Section 2. Section 768.1326, Florida Statutes, is amended to read: 81 82 768.1326 Placement of automated external defibrillators in 83 state buildings and places of public assembly; rulemaking 84 authority.-

## Page 3 of 6

CODING: Words stricken are deletions; words underlined are additions.

85 No later than January 1, 2003, The State Surgeon (1) 86 General shall adopt rules to establish guidelines on the 87 appropriate placement of automated external defibrillator 88 devices in buildings or portions of buildings owned or leased by 89 the state and places of public assembly, and shall establish, by 90 rule, recommendations on procedures for the deployment of 91 automated external defibrillator devices in such buildings and 92 places of public assembly in accordance with the guidelines. The 93 Secretary of Management Services shall assist the State Surgeon 94 General in the development of the guidelines. The guidelines for 95 the placement of the automated external defibrillators shall 96 take into account the typical number of employees and visitors in the building or place of public assembly buildings, the 97 98 extent of the need for security measures regarding the building 99 or place of public assembly buildings, special circumstances in 100 the building or a portion of the building buildings or portions of buildings such as high electrical voltages or extreme heat or 101 102 cold, and such other factors as the State Surgeon General and 103 Secretary of Management Services determine to be appropriate. As 104 used in this section, the term "place of public assembly" means 105 an educational facility used as an emergency shelter or a 106 location that has a seating capacity of at least 1,000 people 107 and includes, but is not limited to, any stadium, ballpark, 108 gymnasium, field house, arena, civic center, or similar facility 109 used for the conduct of sporting events and any concert hall, recital hall, theater, indoor or outdoor amphitheatre, or other 110 111 auditorium used for the presentation of musical performances or concerts. The term does not include any church, synagogue, or 112

Page 4 of 6

CODING: Words stricken are deletions; words <u>underlined</u> are additions.

113 other not-for-profit religious organization or any public 114 association or public library. The State Surgeon General's 115 recommendations for deployment of automated external 116 defibrillators in buildings or portions of buildings owned or 117 leased by the state or in places of public assembly shall 118 include: 119 (a) (1) A reference list of appropriate training courses in the use of such devices, including the role of cardiopulmonary 120 121 resuscitation; 122 (b) (2) The extent to which such devices may be used by 123 laypersons; 124 (c) (3) Manufacturer recommended maintenance and testing of 125 the devices; and 126 (d) (4) Coordination with local emergency medical services systems regarding registration of automated external 127 128 defibrillators and documentation of the incidents of use of the 129 devices. 130 131 In formulating these guidelines and recommendations, the State 132 Surgeon General may consult with all appropriate public and 133 private entities, including national and local public health 134 organizations that seek to improve the survival rates of 135 individuals who experience cardiac arrest. 136 (2) This section does not: 137 Prohibit a county or municipal government from (a) enacting, implementing, and enforcing any local ordinance that 138 139 expands the requirements of this section for the placement of 140 automated external defibrillators in a place of public assembly;

## Page 5 of 6

CODING: Words stricken are deletions; words <u>underlined</u> are additions.

141

(b) Mandate the placement of any automated external 142 defibrillator in any place of public assembly; or 143 (c) Authorize the adoption of rules, guidelines, or 144 recommendations that would establish any legal standard of care 145 in civil actions. 146 Section 3. Section 1006.165, Florida Statutes, is amended 147 to read: 148 1006.165 Automated external defibrillator; user training.-149 (1)Each public school in this state that is a member of 150 the Florida High School Athletic Association must have an operational automated external defibrillator on the school 151 152 grounds. Public and private partnerships are encouraged to cover 153 the cost associated with the purchase and placement of the 154 defibrillator and training in the use of the defibrillator. 155 (2)Each school must ensure that all employees or 156 volunteers who are reasonably expected to use the device obtain 157 appropriate training, including completion of a course in 158 cardiopulmonary resuscitation or a basic first aid course that 159 includes cardiopulmonary resuscitation training, and 160 demonstrated proficiency in the use of an automated external 161 defibrillator. 162 (3) The location of each automated external defibrillator 163 must be registered with a local emergency medical services 164 medical director. 165 The use of automated external defibrillators by (4)166 employees and volunteers is covered under ss. 768.13 and 768.1325. 167 Section 4. This act shall take effect July 1, 2011. 168 Page 6 of 6 CODING: Words stricken are deletions; words underlined are additions.

hb0373-00