Barcode 095760

CHAMBER ACTION

	Senate House
1	Comm: RCS
2	03/27/2007 10:22 PM .
3	· ·
4	· ·
5	
6	
7	
8	
9	
10	The Committee on Health Deculation (Deeden) regermended the
11 12	The Committee on Health Regulation (Peaden) recommended the following amendment:
13	TOTIOWING amendment.
14	Senate Amendment (with title amendment)
15	On page 1, line 29, through
16	page 2, line 2, delete those lines
17	
18	and insert:
19	3. Until July 1, 2006, additional emergency
20	departments located off the premises of licensed hospitals may
21	not be authorized by the agency.
22	(c) A hospital may apply for a license to operate an
23	emergency department at a location off the hospital's premises
24	and the agency shall approve such license if the hospital
25	complies with all of the following criteria:
26	1. The off-premises emergency department must provide
27	emergency services and care for any emergency medical
28	condition that is within the service capability of the
29	hospital seeking the license.
30	2. The off-premises emergency department must ensure
31	that the same types of medical specialties that are available
	5:49 PM 03/23/07 s1758c-hr02-c02

Bill No. <u>SB 1758</u>

Barcode 095760

1	to the hospital seeking the license are available for
2	consultations to patients of the off-premises emergency
3	<u>department.</u>
4	3. The licenseholder must provide for the transport of
5	patients between the off-premises emergency department and its
6	licensed hospital. The department shall determine whether
7	statewide transport protocols should be developed with respect
8	to off-premises emergency departments and shall report its
9	findings to the Governor, the President of the Senate, and the
10	Speaker of the House of Representatives by January 31, 2008.
11	4. The off-premises emergency department must be
12	directed by a designated physician who is a member of the
13	organized medical staff.
14	5. The off-premises emergency department must treat
15	all patients who have an emergency medical condition without
16	regard to ability to pay.
17	6. The off-premises emergency departments must comply
18	with all adopted rules governing emergency care.
19	7. If the main hospital is accredited, the
20	off-premises emergency department must be accredited by the
21	same accrediting organization.
22	8. The off-premises emergency department must meet all
23	physical plant requirements, including electrical,
24	architectural, and mechanical of an onsite emergency
25	department as specified in the Florida Building Code. The
26	facility must also meet the requirements for Definitive
27	Emergency Care, as described in the Guidelines for the Design
28	and Construction of Health Care Facilities, 2006 edition,
29	incorporated by reference in Section 419.2.1.2 of the Florida
30	Building Code.
31	Section 2. An off-premises emergency department of a
	5:49 PM 03/23/07 s1758c-hr02-c02
	I

Bill No. <u>SB 1758</u>

Barcode 095760

1	hospital operating as of July 1, 2007, may continue to operate
2	in accordance with the licensure criteria under which it was
3	originally approved by the agency. A hospital that has
4	received a letter of nonreviewability from the agency for an
5	off-premises emergency department and has had Stage 2
6	architectural plans approved by July 1, 2007, is subject to
7	the licensure criteria in existence before July 1, 2007.
8	
9	(Redesignate subsequent sections.)
10	
11	
12	======== T I T L E A M E N D M E N T =========
13	And the title is amended as follows:
14	On page 1, lines 3-7, delete those lines
15	
16	and insert:
17	395.003, F.S.; authorizing hospitals to operate
18	an off-premises emergency department; requiring
19	a license; providing criteria; providing that
20	all off-premises emergency departments
21	operating as of a certain date may continue to
22	operate in accordance with the criteria in
23	effect at the time of approval and that an
24	off-premises emergency department that has had
25	architectural plans approved by a certain date
26	is subject to the license criteria in effect at
27	the time of submission; providing an effective
28	date.
29	
30	
31	2
	5:49 PM 03/23/07 s1758c-hr02-c02