	20131806er
1	
2	An act relating to total maximum daily loads; amending
3	s. 403.067, F.S.; exempting total maximum daily load
4	rules from legislative ratification; providing an
5	effective date.
6	
7	Be It Enacted by the Legislature of the State of Florida:
8	
9	Section 1. Paragraph (c) of subsection (6) of section
10	403.067, Florida Statutes, is amended to read:
11	403.067 Establishment and implementation of total maximum
12	daily loads
13	(6) CALCULATION AND ALLOCATION
14	(c) Adoption of rules. The total maximum daily load
15	calculations and allocations established under this subsection
16	for each water body or water body segment shall be adopted by
17	rule by the secretary pursuant to ss. 120.536(1), 120.54, and
18	403.805. Where additional data collection and analysis are
19	needed to increase the scientific precision and accuracy of the
20	total maximum daily load, the department is authorized to adopt
21	phased total maximum daily loads that are subject to change as
22	additional data becomes available. Where phased total maximum
23	daily loads are proposed, the department shall, in the detailed
24	statement of facts and circumstances justifying the rule,
25	explain why the data are inadequate so as to justify a phased
26	total maximum daily load. The rules adopted pursuant to this
27	paragraph <u>are</u> <del>shall</del> not <del>be</del> subject to approval by the
28	Environmental Regulation Commission and are not subject to the
29	provisions of s. 120.541(3). As part of the rule development
I	

## Page 1 of 2

CODING: Words stricken are deletions; words underlined are additions.

20131806er 30 process, the department shall hold at least one public workshop 31 in the vicinity of the water body or water body segment for 32 which the total maximum daily load is being developed. Notice of 33 the public workshop shall be published not less than 5 days nor 34 more than 15 days before the public workshop in a newspaper of general circulation in the county or counties containing the 35 water bodies or water body segments for which the total maximum 36 daily load calculation and allocation are being developed. 37 38 Section 2. This act shall take effect July 1, 2013.

## Page 2 of 2

CODING: Words stricken are deletions; words underlined are additions.