286824

LEGISLATIVE ACTION .

Senate Comm: RCS 02/17/2021

House

The Committee on Health Policy (Bean) recommended the following:

Senate Amendment to Amendment (302884) (with title amendment)

1 2

3 4

5

6

7

8

9

11

Delete lines 10 - 83

and insert:

the client is 18 years of age or older and provides a medical clearance or a waiver of medical examination:

(a) Pure tone audiometric testing by air and bone to determine the type and degree of hearing deficiency when 10 indicated.

(b) Effective masking when indicated.

17

18 19

20

21

22

23

24

25

26

27

286824

12 (c) Appropriate testing to determine speech reception 13 thresholds, speech discrimination scores, the most comfortable 14 listening levels, uncomfortable loudness levels, and the 15 selection of the best fitting arrangement for maximum hearing 16 aid benefit when indicated.

(2) The following equipment <u>must</u> shall be used <u>unless the</u> <u>client is 18 years of age or older and provides a medical</u> <u>clearance or a waiver of medical examination</u>:

 (a) A wide range audiometer <u>that</u> which meets the specifications of the American National Standards Institute for diagnostic audiometers when indicated.

(b) A speech audiometer or a master hearing aid in order to determine the most comfortable listening level and speech discrimination when indicated.

(3) A final fitting ensuring physical and operational comfort of the hearing aid <u>must</u> shall be made when indicated.

28 (4) A licensed audiologist who fits and sells hearing aids 29 must shall obtain the following medical clearance: If, upon 30 inspection of the ear canal with an otoscope in the common procedure of fitting a hearing aid or and upon interrogation of 31 32 the client, there is any recent history of infection or any 33 observable anomaly, the client must shall be instructed to see a 34 physician, and a hearing aid may shall not be fitted until medical clearance is obtained for the condition noted. If, upon 35 36 return, the condition noted is no longer observable and the 37 client signs a medical waiver, a hearing aid may be fitted. Any 38 person with a significant difference between bone conduction 39 hearing and air conduction hearing must be informed of the possibility of medical or surgical correction. 40

286824

41	Section 12. Section 468.1265, Florida Statutes, is amended
42	to read:
43	468.1265 Sale or distribution of hearing aids through mail;
44	penaltyIt is unlawful for any person to sell or distribute
45	hearing aids through the mail to the ultimate consumer who is
46	younger than 18 years of age. Any person who violates this
47	section commits a misdemeanor of the second degree, punishable
48	as provided in s. 775.082 or s. 775.083.
49	Section 13. Subsections (1) through (4) of section
50	484.0501, Florida Statutes, are amended to read:
51	484.0501 Minimal procedures and equipment
52	(1) The following minimal procedures <u>must</u> shall be used in
53	the fitting and selling of hearing aids <u>unless the client is 18</u>
54	years of age or older and provides a medical clearance or a
55	waiver of medical examination:
56	(a) Pure tone audiometric testing by air and bone to
57	determine the type and degree of hearing deficiency.
58	(b) Effective masking when indicated.
59	(c) Appropriate testing to determine speech reception
60	thresholds, speech discrimination scores, the most comfortable
61	listening levels, uncomfortable loudness levels, and the
62	selection of the best fitting arrangement for maximum hearing
63	aid benefit.
64	(2) The following equipment <u>must</u> <del>shall</del> be used <u>unless the</u>
65	client is 18 years of age or older and provides a medical
66	clearance or a waiver of medical examination:
67	(a) A wide range audiometer <u>that</u> <del>which</del> meets the
68	specifications of the American National Standards Institute for
69	diagnostic audiometers.

286824

(b) A speech audiometer or a master hearing aid in order to
determine the most comfortable listening level and speech
discrimination.

(3) For clients younger than 18 years of age, a final fitting ensuring physical and operational comfort of the hearing aid <u>must shall</u> be made. For all other clients, such final fitting must be made when indicated.

77 (4) The following medical clearance must shall be obtained: 78 If, upon inspection of the ear canal with an otoscope in the 79 common procedure of a hearing aid fitter or and upon 80 interrogation of the client, there is any recent history of 81 infection or any observable anomaly, the client must shall be 82 instructed to see a physician, and a hearing aid may shall not 83 be fitted until medical clearance is obtained for the condition 84 noted. If, upon return, the condition noted is no longer 85 observable and the client signs a medical waiver, a hearing aid 86 may be fitted. Any person with a significant difference between 87 bone conduction hearing and air conduction hearing must be 88 informed of the possibility of medical correction.

89 Section 14. Section 484.054, Florida Statutes, is amended 90 to read:

91 484.054 Sale or distribution of hearing aids through mail; 92 penalty.—It is unlawful for any person to sell or distribute 93 hearing aids through the mail to the ultimate consumer <u>who is</u> 94 <u>younger than 18 years of age</u>. Any violation of this section 95 constitutes a misdemeanor of the second degree, punishable as 96 provided in s. 775.082 or s. 775.083.

97

588-02177A-21



99	And the title is amended as follows:
100	Delete lines 89 - 94
101	and insert:
102	F.S.; providing applicability; amending s. 468.1225,
103	F.S.; revising minimum procedures and equipment
104	requirements for fitting and selling hearing aids;
105	amending s. 468.1265, F.S.; revising a prohibition on
106	the sale or distribution of hearing aids through the
107	mail; amending s. 484.0501, F.S.; revising minimum
108	procedures and equipment requirements for fitting and
109	selling hearing aids; amending s. 484.054, F.S.;
110	revising a prohibition on the sale or distribution of
111	hearing aids through the mail; amending s. 893.05,