### HOUSE OF REPRESENTATIVES STAFF FINAL BILL ANALYSIS

BILL #: CS/HB 89 Revive Awareness Day

SPONSOR(S): Healthcare Regulation Subcommittee, Plakon and others

TIED BILLS: IDEN./SIM. BILLS: CS/CS/SB 66

FINAL HOUSE FLOOR ACTION: 110 Y's 1 N's GOVERNOR'S ACTION: Approved

#### SUMMARY ANALYSIS

CS/HB 89 passed the House on March 6, 2024, as CS/CS/SB 66.

Opioids are psychoactive substances derived from the opium poppy, or their synthetic analogues. Opioids include prescription medications legitimately prescribed to treat pain, as well as illegal drugs with no sanctioned medical use. An overabundance of opioids in the body can lead to a fatal overdose. Opioids are the most lethal group of drugs; worldwide they account for two thirds of all deaths relating to drug use, most of which are the result of overdoses. In 2023 the number of overdose deaths in the U.S. surpassed 112,000.

An opioid antagonist is a drug that rapidly reverses the effects of an opioid overdose. Opioid antagonists can quickly restore normal breathing if breathing has slowed, or even stopped, due to an opioid overdose. Opioid antagonists have no potential for abuse and will not cause harm if mistakenly administered to a person who is not overdosing on an opioid. On March 29, 2023, the US Food & Drug Administration approved the first opioid antagonist nasal spray available for over-the-counter, nonprescription, use. This allows an accessible, easily administered opioid antagonist to be sold directly to consumers without the need for a prescription.

The bill creates "Victoria's Law," named for Victoria Siegal, who died of an accidental opioid overdose at age 18. The bill designates June 6 of each year as "Revive Awareness Day." The bill authorizes the Governor to issue an annual proclamation designating June 6 as "Revive Awareness Day."

The bill encourages the Department of Health to hold events with the purpose of raising awareness of the dangers of opioid overdose and the availability and safe use of opioid antagonists.

The bill has no fiscal impact on state or local governments.

The bill was approved by the Governor on April 8, 2024, ch. 2024-67, L.O.F., and became effective on April 8, 2024.

### I. SUBSTANTIVE INFORMATION

### A. EFFECT OF CHANGES:

## **Background**

## **Opioids**

Opioids are psychoactive substances derived from the opium poppy, or their synthetic analogues.<sup>1</sup> Opioids are highly effective pain relievers, and as such are commonly used to treat acute and chronic pain. An individual experiences pain because of a series of electrical and chemical exchanges across the individual's peripheral nerves, spinal cord, and brain.<sup>2</sup> Opioid receptors occur naturally and are distributed widely throughout the central nervous system and in peripheral sensory and autonomic nerves and modulate the body's perception of pain.<sup>3</sup> Opioids bind to specific opioid receptors, disrupt the transmission of pain signals through the central nervous system and reduce the perception of pain.<sup>4</sup>

Opioids include prescription medications legitimately prescribed to treat pain, as well as illegal drugs with no sanctioned medical use. Dopioids can create a euphoric feeling because they affect the regions of the brain involved with pleasure and reward, which can lead people to misuse the substance. Dopioids are commonly misused; in 2020 an estimated 61 million people worldwide used opioids for non-medical reasons. Continued use of opioids can lead to the development of tolerance and psychological and physical dependence. This dependence is characterized by a strong desire to take opioids, impaired control over opioid use, persistent opioid use despite harmful consequences, a higher priority given to opioid use than to other activities and obligations, and a physical withdrawal reaction when opioids are discontinued.

## Opioid Overdose

Opioids are the most lethal group of drugs; worldwide they account for two thirds of all deaths relating to drug use, most of which are the result of overdoses.<sup>10</sup> More than 109,000 Americans died from a drug overdose in the 12-month period ending in February, 2023.<sup>11</sup>

Opioid overdoses result from an overabundance of opioids in the body which leads to the suppression of the respiratory system. The opioid receptors that are found in major pain pathways, thus enabling

STORAGE NAME: h0089z.DOCX DATE: 4/9/2024

<sup>&</sup>lt;sup>1</sup> World Health Organization, *Opioid Overdose*. Available at <a href="https://www.who.int/news-room/fact-sheets/detail/opioid-overdose">https://www.who.int/news-room/fact-sheets/detail/opioid-overdose</a> (last visited March 11, 2024).

<sup>&</sup>lt;sup>2</sup> Medical News Today, What is pain, and how do you treat it? (2020). Available at <a href="https://www.medicalnewstoday.com/articles/145750#:~:text=People%20feel%20pain%20when%20specific.immediate%20contraction%20of%20the%20muscles">https://www.medicalnewstoday.com/articles/145750#:~:text=People%20feel%20pain%20when%20specific.immediate%20contraction%20of%20the%20muscles</a> (last visited March 11, 2024).

<sup>&</sup>lt;sup>3</sup> Henriksen, G. & Willoch, F., *Imaging of Opioid Receptors in the Central Nervous System* (2008). Brain 131 (5): 1171-1196. doi: 10.1093/brain/awm255

<sup>&</sup>lt;sup>4</sup> Id.

<sup>&</sup>lt;sup>5</sup> Opioids legally prescribed to treat pain include morphine, codeine, methadone, oxycodone, hydrocodone, fentanyl, hydromorphone, and buprenorphine. Heroine is an example of an illicit opioid with no sanctioned medical use. See also, U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, SAMHSA Opioid Overdose Toolkit: Facts for Community Members (2018). Available at <a href="https://store.samhsa.gov/sites/default/files/d7/priv/sma18-4742.pdf">https://store.samhsa.gov/sites/default/files/d7/priv/sma18-4742.pdf</a> (last visited March 11, 2024).

<sup>&</sup>lt;sup>6</sup> National Institute on Drug Abuse, *How Do Opioids Affect the Brain and Body?* (2020). Available at <a href="http://www.drugabuse.gov/publications/research-reports/prescription-drugs/opioids/how-do-opioids-affect-brain-body">http://www.drugabuse.gov/publications/research-reports/prescription-drugs/opioids/how-do-opioids-affect-brain-body</a> (last visited March 11, 2024).

<sup>&</sup>lt;sup>7</sup> United Nations Office on Drugs and Crime, World Drug Report 2022, *Global Overview: Drug Demand and Drug Supply* (2022). Available at <a href="https://www.unodc.org/res/wdr2022/MS/WDR22">https://www.unodc.org/res/wdr2022/MS/WDR22</a> Booklet 1.pdf (last visited March 11, 2024).

<sup>&</sup>lt;sup>8</sup> Supra, note 6.

<sup>&</sup>lt;sup>9</sup> Supra, note 1.

<sup>&</sup>lt;sup>10</sup> Supra, note 7.

<sup>&</sup>lt;sup>11</sup> Ahmad, F.B., Cisewski, J.A., Rossen, L.M., & Sutton, P., *Provisional Drug Overdose Death Counts* (2023). Centers for Disease Control and Prevention: National Center for Health Statistics. Available at <a href="https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm">https://www.cdc.gov/nchs/nvss/vsrr/drug-overdose-data.htm</a> (last visited March 11, 2024).

opioids to alleviate the sensation of pain, are also found in the respiratory control centers of the brain. <sup>12</sup> Opioids disrupt the transmission of signals for respiration in the identical manner as they disrupt the transmission of pain signals; when there is an excess of opioids present in the body, this can lead to a reduction, and eventual cessation, of a person's breathing. Oxygen starvation will eventually stop vital organs like the heart and brain and can lead to unconsciousness, coma, and possible death. <sup>13</sup> Within 3-5 minutes without oxygen, brain damage starts to occur, soon followed by death. <sup>14</sup>

Once a person stops breathing damage to vital organs is rapid, however, a person's breathing will typically slow gradually over time and breathing may not stop until minutes to hours after the drug or drugs were used. Medical intervention during the period of time between opioid overdose and the cessation of breathing is the key to preventing an overdose death. An opioid overdose can be identified by a combination of three signs and symptoms referred to as the "opioid overdose triad": pinpoint pupils, unconsciousness; and respiratory depression.

Opioid overdose and death have increased significantly over the last three decades. The graph below demonstrates the total number of U.S. overdose deaths involving any opioid<sup>17</sup> from 1999 to 2021.<sup>18</sup>

#### 100,000 Total Female 80.411 Male 80,000 68,630 60,000 47.600 40,000 21.089 20,000 2016 2008 2009 2010 2012 2013 2014 2015 2006 2011 2007

## Opioid Deaths in the Unites States, 1999-2021

Prior to the COVID-19 pandemic, the increase in opioid overdose deaths formed three distinct waves:

 The first wave began with increased prescribing of opioids in the 1990s, with overdose deaths involving prescription opioids increasing since at least 1999.

<sup>&</sup>lt;sup>12</sup> Pattinson, K.T.S., *Opioids and the Control of Respiration* (2008). British Journal of Anaesthesia, 100:6, 747-758. <a href="https://doi.org/10.1093/bja/aen094">https://doi.org/10.1093/bja/aen094</a>.

<sup>&</sup>lt;sup>13</sup> Harm Reduction Coalition, *Guide to Developing and Managing Overdose Prevention and Take-Home Naloxone Projects* (2020). Available at <a href="http://harmreduction.org/our-work/overdose-prevention/">http://harmreduction.org/our-work/overdose-prevention/</a> (last visited March 11, 2024).

<sup>&</sup>lt;sup>14</sup> *Id*.

<sup>&</sup>lt;sup>15</sup> *Id*.

<sup>16</sup> Supra, note 1.

<sup>&</sup>lt;sup>17</sup> Any opioid includes prescription opioids (natural and semi-synthetic opioids and methadone), heroin and synthetic opioids other than methadone (primarily fentanyl).

<sup>&</sup>lt;sup>18</sup>National institute on Drug Abuse, Overdose Death Rates. Available at <a href="https://www.drugabuse.gov/drug-topics/trends-statistics/overdose-death-rates">https://www.drugabuse.gov/drug-topics/trends-statistics/overdose-death-rates</a> (last March 11, 2024).

- The second wave began in 2010, with rapid increase in overdose deaths involving heroin.
- The third wave began in 2013, with significant increases in overdose deaths involving synthetic opioids, particularly those involving illicitly manufactured fentanyl. The market for illicitly manufactured fentanyl continues to change, and the drug can be found in combination with heroin, counterfeit pills, and cocaine.<sup>19</sup>

In 2021, 6,442 opioid overdose deaths were reported in Florida, a 22 percent increase from 2019.<sup>20</sup> Additionally, 50,803 all-drug, non-fatal overdoses resulted in an emergency department visit in 2021.<sup>21</sup> Fentanyl, an extremely potent opioid drug, is the leading cause of overdose deaths in Florida, and the incidence of fentanyl overdose deaths increased by 38 percent from 2,348 in 2019 to 3,244 in 2020.<sup>22</sup>

## Opioid Antagonists

An opioid antagonist is a drug that rapidly reverses the effects of an opioid overdose. Opioid antagonists counteract the central nervous system depression which is the primary cause of opioid overdose deaths by attaching to opioid receptors and blocking the effects of other opioids. Opioid antagonists can quickly restore normal breathing to a person if their breathing has slowed, or even stopped due to an opioid overdose.<sup>23</sup> This effect lasts only for a short period of time, with the narcotic effect of the opioids returning if still present in large quantities in the body. In this scenario, additional doses of an opioid antagonist would be required, which is why it is generally recommended that anyone who has experienced an overdose seek medical attention.<sup>24</sup>

Opioid antagonists can be safely given to people of all ages and will not cause harm if mistakenly administered to a person who is not overdosing on an opioid.<sup>25</sup>

On March 29, 2023, the U.S. Food & Drug Administration approved the first opioid antagonist nasal spray available for over-the-counter, nonprescription, use.<sup>26</sup> This allows an accessible, easily administered opioid antagonist to be sold directly to consumers without the need for a prescription.

### Effect of the Bill

The bill creates "Victoria's Law," named for Victoria Siegal, who died of an accidental opioid overdose at age 18.27 The bill designates June 6 of each year as "Revive Awareness Day." The bill authorizes the Governor to issue an annual proclamation designating June 6 as "Revive Awareness Day."

<sup>&</sup>lt;sup>19</sup> Centers for Disease Control and Prevention, *Understanding the Opioid Overdose Epidemic*. Available at https://www.cdc.gov/opioids/basics/epidemic.html (last visited March 11, 2024).

<sup>&</sup>lt;sup>20</sup> Florida Department of Health, *FL Health Charts: Sub stance Use Dashboard.* Available at https://www.flhealthcharts.gov/ChartsDashboards/rdPage.aspx?rdReport=SubstanceUse.Overdose (last visited March 11, 2024).

<sup>&</sup>lt;sup>22</sup> Project Opioid, A Pandemic Fueling an Epidemic in Florida in 2020. Available at https://projectopioid.org/wpcontent/uploads/2020/12/PO-2020-Data-Study-Final\_New-Section.pdf (last visited March 11, 2024).

<sup>&</sup>lt;sup>23</sup> National Institute on Drug Abuse, *What is Naloxone?* (2022). Available at <a href="https://nida.nih.gov/publications/drugfacts/naloxone">https://nida.nih.gov/publications/drugfacts/naloxone</a> (last visited March 11, 2024). See also, Harm Reduction Coalition, Understanding Naloxone, (2020). Available at http://harmreduction.org/issues/overdose-prevention/overview/overdose-basics/understanding-naloxone/ (last visited March 11, 2024).

<sup>&</sup>lt;sup>25</sup> Centers for Disease Control and Prevention, 5 Things to Know About Naloxone (2022). Available at https://www.cdc.gov/drugoverdose/featured-topics/naloxone.html (last visited March 11, 2024).

<sup>&</sup>lt;sup>26</sup> US Food & Drug Administration, FDA Approves First Over-the-Counter Naloxone Nasal Spray (2023). Available at https://www.fda.gov/news-events/press-announcements/fda-approves-first-over-counter-naloxone-nasal-spray(last visited March 11, 2024).

<sup>&</sup>lt;sup>27</sup> Following her death, Victoria's parents, Jackie and David Siegal, established the Victoria's Voice Foundation which is dedicated to providing drug prevention education and raising awareness of the availability and safe use of opioid antagonists in order to support

The bill encourages the Department of Health to hold events with the purpose of raising awareness of the dangers of opioid overdose and the availability and safe use of opioid antagonists.

Subject to the Governor's veto powers, the bill is effective upon becoming law.

# II. FISCAL ANALYSIS & ECONOMIC IMPACT STATEMENT

|    | 1.  | Revenues:                         |  |
|----|---|-----------------------------------|--|
|    |   | None.                             |  |
|    | 2.  | Expenditures:                     |  |
|    |   | None.                             |  |
| В. | FIS                                       | SCAL IMPACT ON LOCAL GOVERNMENTS: |  |
|    | 1.  | Revenues:                         |  |
|    |   | None.                             |  |
|    | 2.  | Expenditures:                     |  |
|    |   | None.                             |  |
| C. | DIRECT ECONOMIC IMPACT ON PRIVATE SECTOR: |                                   |  |
|    | No  | ne.                               |  |
| D. | FIS                                       | FISCAL COMMENTS:                  |  |
|    | None.                                     |                                   |  |
|    |   |                                   |  |
|    |   |                                   |  |

A. FISCAL IMPACT ON STATE GOVERNMENT:

STORAGE NAME: h0089z.DOCX DATE: 4/9/2024

those affected by substance use. For more information, see the Victoria's Voice Foundation website. Available at <a href="https://victoriasvoice.foundation/">https://victoriasvoice.foundation/</a> (last visited March 18, 2024).